




SLIDING HARDWARE






ESH 001A

Wooden Door Sliding Kit with 2 Top Rollers, 2 Door Mounting Plates, 2 End Stoppers, 1 Bottom Guide,
Base Material : Zinc one piece die casting roller + Derlin Wheel
Door Specification : Max. Door Weight 100 Kg, Max. Door Height 3000mm, Max. Door Width 1500mm,
Min. Door Thickness 30mm, Gap Between Track & Door : Min. 20mm, Max. 30mm
Product Application : Internal Doors for Bedroom and Living areas, Private or Public Office areas.




ESH 001B

Door Specification : Max. Door Weight 140 Kg, Max. Door Height 3000mm, Max. Door Width 1500mm, Min. Door Thickness 30mm,
Gap Between Track & Door: Min. 30mm, Max. 45mm




ESH 002A

Wooden Door Sliding Kit with 2 Top Rollers, 2 Door Mounting Plates (which get recessed in the door to reduce the gap between the track and the door to 7mm), 2 End Stoppers, 1 Bottom Guide,
Base Material : Zinc one piece die casting roller + Derlin Wheel
Door Specification : Max. Door Weight 100 Kg, Max. Door Height 3000mm, Max. Door Width 1500mm,
Min. Door Thickness 30mm, Gap Between Track & Door: Min. 7mm, Max. 13mm



ESH 002B

Wooden Door Sliding Kit with 2 Top Rollers, 2 Door Mounting Plates (which get recessed in the door to reduce the gap between the track and the door to 4mm), 2 End Stoppers, 1 Bottom Guide,
Base Material : Zinc one piece die casting roller + Derlin Wheel
Door Specification : Max. Door Weight 100 Kg, Max. Door Height 3000mm, Max. Door Width 1500mm, Min. Door Thickness 35mm,
Gap Between Track & Door: Min. 4mm, Max. 8mm




* Aluminium Top Track : 3000mm/3600mm




ESH 011

Wooden Door Sliding Kit (Both Side Soft Closing)
with 2 Top Rollers, 2 Door Mounting Plates, 2 End Stoppers, 1 Bottom Guide,
Base Material : Stainless Steel Roller with Built in Soft Closing Dampener + Derlin Wheel
Door Specification : Max. Door Weight 80 Kg, Max. Door Height 3000mm, Max. Door Width 1500mm,
Min. Door Thickness 30mm, Gap Between Track & Door : Min. 4mm, Max. 8mm
Product Application : Internal Doors for Bedroom and Living areas, Private or Public Office areas.




ESH 012

Wooden Door Sliding Kit with 2 Top Rollers, 2 Door Mounting Plates, 2 End Stoppers, 1 Bottom Guide,
Base Material : ABS one piece die casting roller + Derlin Wheel
Door Specification : Max. Door Weight 250 Kg, Max. Door Height 3600mm, Max. Door Width 1800mm,
Min. Door Thickness 35mm, Gap Between Track & Door : Min. 30mm, Max. 45mm
Product Application : Heavy Duty Partition Doors



ESH 013

Wooden Door Sliding Kit with 2 Top Rollers, 2 Door Mounting Plates, 2 End Stoppers, 1 Bottom Guide,
Base Material : Zinc one piece die casting roller + Stainless Steel Wheel
Door Specification : Max. Door Weight 500 Kg, Max. Door Height 3600mm, Max. Door Width 2400mm,
Min. Door Thickness 38mm, Gap Between Track & Door : Min. 30mm, Max. 45mm
Product Application : Very Heavy Duty Partition Doors





150 Kg



Top Roller 2 Pcs



End Stoppers
2 Pcs



Lower guide
1 Pc



Track Mounting Fastener
6 Pcs



Anti Jump Pin
1 Pc



Top Track

ESH 014

Wooden Door Sliding Kit, Overlap Mounting (Wall Mounting)
with 2 Top Rollers, 2 End Stoppers, 1 Bottom Guide,
6 Track Mounting Fasteners & 1 Anti Jump Pin
Base Material : Wrought Iron die casting roller + Wheel
Door Specification : Max. Door Weight 150 Kg, Max. Door Height 3000mm,
Max. Door Width 1500mm, Min. Door Thickness 32mm,
Product Application : Vintage Style Heavy Duty Partition Doors





150 Kg



Top Roller 2 Pcs



End Stoppers
2 Pcs



Lower guide
1 Pc



Track Mounting Fastener
6 Pcs



Anti Jump Pin
1 Pc



Top Track

ESH 015

Wooden Door Sliding Kit, Overlap Mounting (Wall Mounting)
with 2 Top Rollers, 2 End Stoppers, 1 Bottom Guide,
6 Track Mounting Fasteners & 1 Anti Jump Pin

Base Material : Wrought Iron die casting roller + Wheel

Door Specification : Max. Door Weight 150 Kg, Max. Door Height 3000mm,

Max. Door Width 1500mm, Min. Door Thickness 32mm,


Product Application : Vintage Style Heavy Duty Partition Doors





Aluminium Top Track : 3000mm/3600mm
Aluminium Bottom Track : 3000mm/3600mm


Elevation View :




ESH 004

Wooden Door Sliding Folding system for 2-8 Doors : A) Side Hinge Set (3 pcs), B) Intermediate handle Hinge Set (3 pcs), C) Intermediate Hanger Set (3 pcs), D) End Hanger Set (2 pcs), Base Material : Stainless Steel SUS 304
Door Specification : Max. Door Weight 75 Kg, Max. Door Height 2400mm, Max. Door Width 700mm, Door Thickness 35-50mm,
Product Application : External/Internal Doors for Commercial or residential sliding folding partitions

Track Dimension :



Bottom Track Cross Section :








ESH 003

Synchronised Wooden Door Sliding Kit for simultaneous opening of both the doors,
4 Top Rollers, 4 Door Mounting Plates, 2 End Stoppers, 2 Bottom Guides, 2 Movement Wires,
2 Synchro Rollers, Base Material : Zinc one piece die casting roller + Derlin Wheel
Door Specification : Max. Door Weight 100 Kg, Max. Door Height 3000mm, Max. Door Width 900mm,
Min. Door Thickness 40mm, Gap Between Track & Door: Min. 25mm, Max. 28mm
Product Application: Internal Doors for Bedroom and Living areas, Private or Public Office areas.

Installation :




Wardrobe Sliding System



ESH 006

Wardrobe/Cabinet Sliding System with 2 Bottom Rollers, 2 Top Guides & 2 End Stoppers, Inset Mounting
Door Specification : Max. Door Weight 30 Kg, Max. Door Height 2100mm,
Max. Door Width 900mm, Door Thickness 16 -25mm,
Product Application : Used for Small cabinets & Sliding Wardrobes.
The track and rollers are mounted inside the carcass on the top and bottom.
After installation - the doors stay inside the carcass



ESH 007A

Wardrobe/Cabinet Sliding System with 2 Bottom Rollers, 2 Top Guides rollers & 2 End Stoppers, Inset Mounting
Door Specification : Max. Door Weight 60 Kg, Max. Door Height 2400mm,
Max. Door Width 1200mm, Door Thickness 19 -32mm,
Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted inside the carcass on the top and bottom.
After installation - the doors stay inside the carcass



ESH 005A

Wardrobe/Cabinet Sliding System for Wooden doors, with 4 Top Rollers, 4 Bottom rollers & 2 End Stoppers, Overlap Mounting
 Door Specification : Max. Door Weight 45 Kg, Max. Door Height 2400mm, Max. Door Width 1000mm, Door Thickness 19 -25 mm,
 Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted outside the carcass on the top and bottom.
 After installation - the door overlaps the carcass.



ESH 005B

Wardrobe/Cabinet Sliding System for Aluminium Profile Shutters, with 4 Top Rollers, 4 Bottom rollers & 2 End Stoppers, Overlap Mounting
 Door Specification : Max. Door Weight 45 Kg, Max. Door Height 2400mm, Max. Door Width 1000mm, Door Thickness 19 -25 mm,
 Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted outside the carcass on the top and bottom.
 After installation - the door overlaps the carcass.



ESH 009

Showcase/Cabinet Sliding System for Glass Doors, Inset Mounting (One Side Soft Closing)
 with 2 Top Glass Clamps, 2 Top Rollers, 2 End Stoppers, 1 Bottom Guide
 Door Specification : Max. Glass Weight 15 Kg, Max. Glass Height 1000mm, Glass Width 350 - 600mm, Glass Thickness 6 - 8 mm,
 Product Application : Used for book cabinets & showcases. The track and rollers are mounted inside the carcass on the top and bottom.
 After installation - the door is inside the carcass.





Soft Opening
&
Soft Closing



ESH 016

Wardrobe/Cabinet Sliding System, Inset Mounting (Both Side Soft Closing)
A. Two Door Wardrobe - with 4 Top Rollers, 4 Bottom rollers & 4 End Stoppers,
B. Three Door Wardrobe - with 6 Top Rollers, 6 Bottom rollers & 6 End Stoppers,

Door Specification : Max. Door Weight 60 Kg, Door Thickness 19 -32mm,
Door Height 400 - 2400mm, Door Width 460 - 1500mm,

Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted inside the carcass on the top and bottom.
After installation - the doors stay inside the carcass.

Hardware required per door



Top Roller
(with soft closing
dampeners) 2 Pcs




Bottom Roller
2 Pcs



End Stopper
2 Pcs





Top and Bottom Track
(Same)



Installation Details



Carcass Side View




Roller Cutout Dimensions



Minimum Width of Door 460mm

Door Back View (Roller Positions)



Door Back View (Roller Positions)

Soft Opening
&
Soft Closing



Hardware required for 2 door wardrobe



ESH 017


Wardrobe/Cabinet Sliding System, Overlap Mounting (Both Side Soft Closing)

- A. Two Door Wardrobe - with 4 Top Rollers, 4 Bottom rollers & 4 Soft Closing Dampeners,
- B. Three Door Wardrobe - with 6 Top Rollers, 6 Bottom rollers & 6 Soft Closing Dampeners,


Door Specification : Max. Door Weight 70 Kg, Door Thickness 19 - 40mm,
Door Height 800 - 2800mm, Door Width 500 - 1500mm,

Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted outside the carcass on the top and bottom.
After installation - the door overlaps the carcass.


Installation Details: Carcass Side View




Installation Details: Carcass Top View Two Door Wardrobe



Installation Details: Carcass Top View Three Door Wardrobe



A - Depth of the Carcass B - Thickness of the Door L - Total width of the Wardrobe X - Overlap of the Door (25mm)



ESH 018

Wardrobe/Cabinet Inline Sliding System, Overlap Mounting (Both Side Soft Closing)

A. Two Door Wardrobe - Cabinet Width 1800mm (Door Width 900mm)


B. Two Door Wardrobe - Cabinet Width 2400mm (Door Width 1200mm)

Door Specification : Max. Door Weight 50 Kg, Door Thickness 19 - 50mm,
Door Height 800 - 2800mm, Door Width 900 or 1200mm,



Product Application : Used for Big cabinets & Sliding Wardrobes. The track and rollers are mounted outside the carcass on the top and bottom.

After installation - the door overlaps the carcass.


Both the doors are at the same level when closed to give a straight look to the wardrobe from the front.



Carcass Details





Installation Details: Carcass Side View




HA - Height of the Carcass without skirting
HA + 70 - Height of the Door

Installation Details: Carcass Top View






Top Track




Bottom Track



Decorative Cover

Installation Details: Carcass Side View



H - Height of the Carcass without skirting
H + 60 - Height of the Door

ESH 008A

Wardrobe/Cabinet Sliding Folding System, Overlap Mounting
Two Door Kit - with 1 Bottom Roller, 1 Top Roller & 4 Centre Hinges

Door Specification : Max. Door Weight 25 Kg, Max. Door Height 2100mm,
Max. Door Width 500mm, Door Thickness 19 -22mm,
Product Application : Used for cabinets & Sliding folding Wardrobes.
The track and rollers are mounted inside the carcass on the top and bottom.
After installation - the shutter overlaps the carcass.