

WOODEN DOOR HARDWARE













EDH 001

Concealed Hinge, Nickel Plated, Base Material - Zinc Alloy

Application: Timber Doors, Timber Windows

Finish: SS Matt

| Sizes (mm) | Α | В | C |
|------------|----|----|-----|
| 13x45 | 13 | 8 | 45 |
| 13x60 | 13 | 8 | 60 |
| 19x96 | 19 | 13 | 96 |
| 28x118 | 28 | 22 | 118 |
| 34x140 | 34 | 28 | 140 |







EDH 004


Concealed Hinge 3 Ways Adjustable, Nickel Plated, Base Material - Zinc Alloy * Special Adjustment feature allows moving the door Up / Down or tilting it towards Front/Back in case of warpage. These hinges come in both Right and Left Hand opening - so please inform Right or Left when ordering, Application: Timber Doors, Timber Windows

Finish: SS Matt/ Antique Bronze

| Sizes (mm) | Α | В | C |
|--------------|----|----|-----|
| 28x110 Right | 28 | 16 | 110 |
| 28x110 Left | 28 | 16 | 110 |












| Sizes | Ball Bearings | Base Material | Finish | Α | В | C | D |
|---------------|---------------|---------------|-----------------|----|------|-------|--------|
| 3"x2.5"x2.5mm | 2 | SUS 202 | SS Matt/Antique | 3* | 2.5" | 2.5mm | 12.2mm |
| 4"x3"x3mm | 2 | SUS 202 | SS Matt/Antique | 4* | 3* | 3mm | 14.2mm |
| 5"x3"x3mm | 2 | SUS 202 | SS Matt/Antique | 5* | 3* | 3mm | 14.2mm |
| 3°x2.5°x2.5mm | 2 | SUS 304 | SS Matt | 3* | 2.5* | 2.5mm | 12.2mm |
| 4°x3°x4mm | 4 | SUS 304 | SS Matt | 4" | 3* | 4mm | 16mm |
| 5°x3.5°x4mm | 4 | SUS 304 | SS Matt | 5° | 3.5" | 4mm | 16mm |
| 6"x3.5"x4mm | 4 | SUS 304 | SS Matt | 6" | 3.5" | 4mm | 18.5mm |
| 8"x3.5"x4mm | 4 | SUS 304 | SS Matt | 8" | 3.5" | 4mm | 18.5mm |
| 3"x2.5"x2.5mm | 2 | BRASS | Gold/Antique | 3" | 2.5" | 2.5mm | 13mm |
| 4°x3°x3mm | 4 | BRASS | Gold/Antique | 4* | 3* | 3mm | 13mm |
| 5°x3°x3mm | 4 | BRASS | Gold/Antique | 5° | 3* | 3mm | 13mm |
| 6°x3°x3mm | 4 | BRASS | Gold/Antique | 6* | 3* | 3mm | 13mm |
| 8°x3.5°x4mm | 4 | BRASS | Gold/Antique | 8* | 3.5* | 4mm | 16mm |




EDH 003

Double Action Hinge for Swing Doors (Both Side), Base Material - Stainless Steel 304 (Max. Door Leaf weight upto 40kg/ 4 pcs)

Application : For use in only light duty doors such as wire mesh doors which are required to be self closing

Finish: SS matt





| Sizes | Α | В | С | D | E |
|-------|-----|----|----|----|----|
| 4" | 100 | 51 | 26 | 18 | 18 |
| 5" | 125 | 62 | 29 | 23 | 23 |





Lever Handle on Rose with Escutcheon Finish: SS Matt + Polished Chrome

Finish: SS Matt

Lever Handle on Rose with Escutcheon















Stainless Steel Manufacturing Process for Lever Handles and other hardware products





















































Lever Handle on Rose with Escutcheon














Lever Handle on Rose with Escutcheon Finish: English Antique Bronze



















EMH 048

Lever Handle on Rose with Escutcheon Finish: Gold Plated/Antique Bronze/ Polished Chrome/SS Matt





Lever Handle on Rose with Escutcheon Finish: Gold Plated + White Ceramic






EMH 049

Lever Handle on Rose with Escutcheon Finish: Gold Plated + Clear Crystal/ Polished Chrome + Clear Crystal









EMH 050 Lever Handle on Rose with Escutcheon





EMH 051 Lever Handle on Rose with Escutcheon








^{*} All Finish: Gold Plated/Antique Bronze/Polished Chrome/SS Matt





EDL 001

Mortise Lock Body with Double Turn, 50mm Backset, 85mm Center, Anti Corrosive Plating, Heavy Duty Spring, Base material - Stainless Steel Strike Plate, Face Plate & Latch Finish: SS Matt / Antique Bronze / Gold Plated





FDL 002

Mortise Lock Body with Double Turn, 50mm Backset, 85mm Center, Spindle with Integrated Ball Bearing and silent latch, Anti Corrosive Plating, Base material - Stainless Steel Strike Plate, Face Plate & Latch Finish: SS Matt





EDL 003

Dead Lock Body with Double Turn, 55mm Backset, Anti Corrosive Plating, Base material - Stainless Steel Strike Plate, Face Plate

Finish: SS Matt / Antique Bronze






EDL 004

Mortise Multipoint High Security Locks for Timber/Metal Doors, 50mm Backset, Anti Corrosive Plating, Heavy Duty Locks Finish; SS Matt / Antique Bronze



EDL 005

Mortise Clicking Latch with Silent latch, Basic Material - Zinc Alloy, Anti Corrosive Plating Finish: Polished Chrome




EDL 006 A

Double Cylinder, 6 Antidrill AntiPrick Pins, Stainless Steel Spring, 3 Brass Keys, Anti Corrosive Plating, Base Material - Brass

EDL 006 B (Computerised Key)

Double Cylinder, 6 Antidrill AntiPrick Pins, Stainless Steel Spring, 5 Brass Keys, Anti Corrosive Plating, Base Material - Brass

| Model | Size (mm) | | | | | |
|-------------|-----------|------|----|-------|----|-------|
| EDL 006A | 30 | 40 | 60 | 70 | 80 | 100 |
| Key + Key | 1 | ~ | ~ | - | ~ | ~ |
| Knob + Key | V | ~ | ~ | ~ | ~ | ~ |
| Knob + Coin | | **** | ~ | ~ | ~ | ***** |
| EDL 0068 | 65 | | | 75 | | |
| Key + Key | ~ | | | ~ | | |
| Knob + Key | ~ | | | ~ | | |
| Knob + Coin | | | | 20000 | | |



* Finish: SS Matt/ Antique Bronze/Gold Plated







EDL 007

Heavy Duty Dead Lock Body with Triple Turn, 3 nos. of 16mm Bolts, 60mm Backset, Anti Corrosive Plating, Base material - Stainless Steel Strike Plate & Face Plate Finish: SS Matt



EDL 008

Heavy Duty Sliding Lock Body with Double Bolts, Both Side Locking Bolts, 60mm Backset, Anti Corrosive Plating, Base material - Stainless Steel Strike Plate & Face Plate Finish: SS Matt



EDL 009

Sliding Lock Body with Single Bolt, 50mm Backset, Anti Corrosive Plating, Base material - Stainless Steel Strike Plate & Face Plate Finish: SS Matt /Antique Bronze





Routing Tool

It is a Tool used for making holes in wooden doors for Lock Bodies, Concealed Doorclosers, Concealed Hinges, Automatic Dropdown Door Seals and various other items.

Advantages:

- Cuts a hole for both Lock body and face-plate
- Fast and Accurate, saves you time and money
- It has Vertical guides and Height & Depth setting which means that you will not drill deeper or higher on the door than actually required
- *3 Drilling Bit Dia available 30mm, 24mm, 20mm













Finish: Gold Plated/Polished Chrome












































295mm, CTC 160mm Finish : White Marble



EPH 031





540mm, CTC 503mm 350mm, CTC 300mm

Finish: SS Matt + Polished Chrome



























Exposed Door Closer, Standard Arm, Adjustable closing and latching speed, Size 2-3 (Max. Door Leaf weight upto 60kg), Base Material - Aluminium. Application: Mainly used in Public, Commercial and Residential Buildings and where circumstances make their use more desirable. Used for Exterior as well as Interior Doors to facilitate exceptionally strong closing forces and is ideal to use with normal doors. Finish: SS Matt / Brown



Exposed Door Closer with Built in 90° Holdopen Setting, Standard Arm, Adjustable closing and latching speed, Size 3-4 (Max. Door Leaf weight upto 100kg), Base Material - Aluminium

Application: Mainly used in Public, Commercial and Residential Buildings and where circumstances make their use more desirable. Used for Exterior as well as Interior Doors to facilitate exceptionally strong closing forces and is ideal to use with heavy doors.

Finish: SS Matt/ Polished Chrome/ Gold Plated/ Antique Bronze



Exposed Door Closer, Standard Arm, Adjustable closing and latching speed, with Back Check and Delay Action features, Size 2-6 (Max. Door Leaf weight upto 150kg), Base Material - Aluminium

Application: Used for Large Doors such as Main Entrance Doors, Metal Doors and other very heavy doors

Finish: SS Matt / Brown



FDC 007

Pelmet (Slide Channel) Arm with Hold Open Feature, which can be installed on EDC 001,002 and 003 series doorclosers, Base Material - Aluminium

Application: Used as a Substitute to the Standard Arm in Exposed Door closers as they look neater and take less space after installation

Finish: Silver

Door Closers / Floor Springs







EDC 004A (Slim 27mm - 50kg) / EDC 004B (32mm - 60kg)

Concealed Door Closer, Holdopen Arm, Adjustable closing and latching speed, Size 2-3 (Max. Door Leaf weight upto 60kg), Base Material - Aluminium

Application: These Doorclosers get concealed into the door and are not visible when the door is closed and thus make the door look much cleaner and neater as compared to surface mounted doorclosers.

EDC 005

Concealed Door Closer, Holdopen Arm, Adjustable closing and latching speed, Size 3-4 (Max. Door Leaf weight upto 100kg), Base Material - Cast Iron

Application: These Doorclosers get concealed into the door and are not visible when the door is closed and thus make the door look much cleaner and neater as compared to surface mounted doorclosers.



EDC 006

Automatic Exposed Door Closer, Standard Arm, Adjustable closing and latching speed, Size 2-4 (Max. Door Leaf weight upto 80kg), with remote controller, with electric lock ,push pad switch for opening , access control box & Micro Wave Sensor, Base Material - Aluminium

Application: These doorclosers are used in high traffic areas such as Airports, Shopping Malls, Hospitals etc and in Handicapped Friendly areas as they open and close automatically. Also help in energy savings by reducing the Air Conditioning loss.



EDC 007

Both Side Openable Floorspring with 90 degree Hold Open for Wood/Glass Doors with Stainless Steel Cover plate, precision manufactured internal components. Adopts to low tempratures due to antifreeze hydraulic oil.

Max. Door Leaf weight - A upto 80kg B upto 150kg C upto 250kg

Application: Used for Wooden Frame as Well as Frameless Glass Doors. A floorspring fits discreetly into the floor and is completely concealed. Easy operation and good holding forces. Ideal for heavy daily use.

EDC 008

Wooden Door Accessory Set (2 pcs) for Floorspring (All Sizes)





EDC 009

Both Side Openable Hydraulic patch with 90 degree Hold Open in which no cutting of floor is required.

Max. Door Leaf weight - 60kg

Application: Suitable for Frameless Glass Doors, this is a new generation floor spring in which no cutting of floor is required. Very Easy installation procedure. Can be used in new as well as existing homes and offices without much civil work and hassle.




EDC 010

Both Side Openable Floorspring with 90 degree Hold Open in which no cutting of floor is required.

Max. Door Leaf weight - 60kg

Application: Suitable for Wooden Frame Doors, this is a new generation floor spring in which no cutting of floor is required. Very Easy installation procedure. Can be used in new as well as existing homes and offices without much civil work and hassle.







EDS 001 A.B.C.D

Door Front Mounted Door Stoppers with Black Rubber in Different Shapes Finish: SS Matt / Antique Bronze



EDS 002

Spring Loaded Door Mounted Push Door Stopper, Silicon rubber, Base Material - Stainless Steel

Application: Used in front of doors to stop the door at desired position, Specially designed to stay parallel to the door to avoid collision

Finish: SS Matt / Antique Bronze



EDS 003

Floor Mounted Door Stopper, Half Round, Base Material - Stainless Steel 304 Finish: SS Matt / Antique Bronze



EDS 004

Wall & Floor/Door Mounted Door Stopper, Base Material - Stainless Steel 304 Finish: SS Matt



EDS 005

Wall & Floor/Door Mounted Door Stopper, Base Material - Stainless Steel 304 Finish: SS Matt / Antique Bronze



EDS 006

Wall & Floor/Door Mounted Door Stopper, Base Material - Stainless Steel 304 Finish: SS Matt

Application: Used behind doors to prevent the door from banging against the wall



EDS 007

Wall Mounted Door Buffer. Base Material - Stainless Steel 304 Finish: SS Matt



EDS 008

Door Wedge 100mmx25mm, Black Rubber

Application: Used to keep the doors open and to prevent them from closing automatically or by wind force.



EDS 012

Wall/Floor/Door Mounted Magnetic Door Catcher, Base Material - Zinc Alloy Finish: SS Matt / Antique Bronze



Wall/Floor/Door Mounted Magnetic

Door Catcher, Base Material - Zinc Alloy Finish: SS Matt / Antique Bronze

Application: Used behind doors to prevent the door from banging against the wall



Floor Mounted Concealed Door Stopper, Push Type, Base Material - Stainless Steel Finish: SS Matt



Floor Mounted Concealed Door Stopper, Half Round, Base Material - Stainless Steel

Finish: SS Matt



Floor Mounted Concealed Door Stopper, Rectangle, Base Material - Stainless Steel

Finish: SS Matt





EDD 001

Door Viewer for Door Thickness 35-55mm, Base Material - Brass Finish : SS Matt/ Antique Bronze



EDD 002

Door Viewer for Door Thickness 35-55mm, Base Material - Brass

Finish: SS Matt/ Antique Bronze



FDD 003

Door Viewer for Door Thickness 35-55mm, Base Material - Brass

Finish: SS Matt/ Antique Bronze





EDD 004

Digital Door Viewer for Door Thickness 40 ~ 70mm, 3.5" screen with 2GB MicroSD Card for Picture Storage and Video Recording, Infrared Camera with Night Mode function, 14mm Dia for Peephole Finish: Champagne Silver

* Can be used in existing doors with old door viewer holes.





EHH 008

Concealed Door Chain, Polished Chrome



EHH 009

Exposed Door Chain, SS Matt

Application: Used to restrict the entry of unauthorised or unwanted people into a room.

The Doors can be opened partially first and then on checking if it is safe to let the person inside the guest can open the door completely.




EDD 005A

Automatic Dropdown Doorseal (Concealed), 900mm, Adjustable to 790mm, Base Material - Aluminium Finish : Aluminium Matt



EDD 005B

Automatic Dropdown Doorseal (Concealed), 1200mm, Adjustable to 1090mm, Base Material - Aluminium Finish: Aluminium Matt





EDD 006

Brush Door Seal (Door Back Mount), 1000mm, Finish: Brown + Grey



EDD 007

Rubber Door Seal (Door Back Mount), 1000mm, Finish: Brown + Black

*Can be cut to match the size of the door





EDD 008

Brush Seal, 7x12mm, Cut to Order Finish : Brown



EDD 009

D Seal, 10x6mm, Cut to Order Finish : Brown



EDD 010

E Seal, 10x3mm, Cut to Order Finish : Brown

